	CARDINAL SURVEYS COMPANY Safety Management System	Doc No:	GASHZRDS
		Initial Issue Date	JAN 1995
GAS HAZARDS		Revision Date:	Initial Version
		Revision No.	02
		Next Revision Date:	N/A
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety	Page: Page 1 of 2

Purpose

It is the intention of CARDINAL SURVEYS COMPANY to provide gas hazards training and detection equipment that meets or exceeds all federal standards. This program is associated with our Respiratory Protection Program.

Scope

This program applies to all CARDINAL SURVEYS COMPANY projects and operations.

This program supplements the CARDINAL SURVEYS COMPANY Respiratory Protection Program that is in place in accordance with 29CFR 1910.134.

Procedure

Gas Hazards Equipment

- Each employee shall use a portable gas monitor as required in all high gas or potentially high hazard areas.
- The gas monitor must be calibrated prior to use per manufacturer's recommendations and contain a current calibration sticker on the monitor providing the date of last calibration.
- Bump test are required to be completed at the beginning of each day the monitor is in use per the requesting Owner Client and manufacturer's guidelines to insure the monitor is functioning correctly.


Owner Client Contingency Plans Awareness

- CARDINAL SURVEYS COMPANY shall insure all employees are aware of the Owner Client's contingency plan provisions including evacuation routes and alarms. CARDINAL SURVEYS COMPANY employees shall participate in emergency evacuation drills and practice rescue procedures.

Use, Maintenance and Care of Gas Monitors

- Only utilize monitors issued by either CARDINAL SURVEYS COMPANY or made available by the Owner Client - no personal monitors are allowed.
- Have the gas monitor on the outside of all clothing.
- Check the calibration date prior to bump testing. If the calibration date is expired turn the unit in immediately and do not use.
- Bump test each shift prior to using the monitor.
- Monitors are sensitive equipment - avoid physical damage and immediately report any monitor that does not appear to be performing as expected.

Training

	CARDINAL SURVEYS COMPANY Safety Management System		Doc No:	GASHZRDS
			Initial Issue Date	JAN 1995
GAS HAZARDS			Revision Date:	Initial Version
			Revision No.	02
			Next Revision Date:	N/A
			Page:	Page 2 of 2
Preparation: Safety Mgr	Authority: President	Issuing Dept: Safety		

All affected employees will receive gas hazards awareness training before their initial assignment and annually thereafter. This shall be in conjunction with the CARDINAL SURVEYS COMPANY Respiratory Protection training. Training shall address, as a minimum:

- Locations of alarm stations
- Gas Monitoring Equipment- Portable and Fixed Detection
- Gas Alarms
- Gas Hazards - Characteristics of gases, to include oxygen deficiency, oxygen or nitrogen enrichment, carbon monoxide and hydrogen sulfide
- Any plant or department specific gases of concern
- Signs and symptoms of overexposure
- Personnel Rescue Procedures
- Use and care of Self-Contained Breathing Apparatus (SCBA) - includes donning and emergency procedures (if applicable)
- Evacuation Procedures
- Staging Areas – Primary and Secondary

Gas Hazard Awareness training shall be documented and available for review.